

# "How the Bond Works"


This book shows you:

- How it works
- Garment shapes
- Press the knitting
- Knitting words



Start here and see how easy it is!

Just follow the steps, and you'll learn to knit quickly and easily!



1


*This is how it works . . . .*

Each time you push the carriage across (in either direction) a row of stitches is knitted.


The keyplate drives the needles in and out.

When they pass under the eye of



The keyplate determines the size of the stitches knitted. To change the stitch size, you simply change the keyplate!



Put the handle on top of the keyplate.



When the carriage is pushed backwards and forwards . . . . .






# 3


*Push needles into working position.*

The needles are now in 'Holding Position' and will not knit. To knit the needles must be pushed back to 'Working Position'.



Remove the yellow card and **CHECK ALL LATCHES ARE STILL OPEN.**

# 2




# 4

*Put on the carriage.*


Put the carriage on the right hand end.

# 1




The carriage clips over the back like this:

# 2




And over the front rail.

# 3




Now take the fabric guide out of the accessory tray. Clip it to the carriage like this:

# 4



Take keyplate 3 and slot it into the carriage under the two pips at the back (Ensure 3 is right way up).

# 5



Put the handle on top of the keyplate so it sits flat in the carriage.

Make sure it lies properly in the grooves.



# 2

## *Hang the weighted hem.*

A weighted hem must be hung on the needles before casting on. This ensures even tension in knitting.




Decide how many needles you want to cast on by checking your pattern.

Use the green cards to push these needles to the front making sure there are an equal number of needles either side of the centre 0.

Leave the green cards behind the needles to hold the needles out. (If the cards do not fit exactly then let them over-lap each other.)




# 2




Hold cast-on hem by the edge, and line up centre mark on hem with 0 on the needle frame.

# 3



# 4

Push the slots over the needles and fold hem back onto needle frame.



# 5


CLOSED

OPEN




Place a length of elastic thread in the needle hooks and put clips on each end.

# 6




Fold hem over so it hangs on the thread.

# 7



# 8

Push the hem right back against the machine.





# BOND CONTENTS LIST



Bond knitting machine with 100 needles



Wax for lubricating keyplates




Cast-on hem



Elastic cast-on cord with clips



Five instruction books



Fabric guide



Book of patterns



Transfer tool (0x3)



Transfer tool (1x3)



Latchet tool



Four keyplates

Bond Knitting Systems Limited, Unit 21, Bridge Street Mill, Bridge Street, Witney, Oxon, OX8 6BR. 3/84

Postage  
will be paid  
by licensee

Do not affix Postage Stamps if posted in  
Gt. Britain, Channel Islands, N. Ireland  
or the Isle of Man

Business reply service  
License no. OF 765

**BOND KNITTING SYSTEMS LTD**  
UNIT 21, BRIDGE STREET MILL  
BRIDGE STREET  
WITNEY  
OXON  
OX8 6BR

2